



Finish. First.™



Best tools in [Micropolishing](#)



Locations Company Details

Osborn International GmbH

Ringstrasse 10
35099 Burgwald
Germany
Tel.: +49 64515880
Fax: +49 6451588206
info@osborn.de

Osborn Unipol S.A.

Parc d'Activités Les Doucettes 23
Avenue des Morillons
95140 Garges Lès Gonesse
France
Tel.: +33 134450600
Fax: +33 139936711
contact@lippert-unipol.fr

Osborn International AB

Huskvarnavägen 105
56123 Huskvarna
Sweden
Tel.: +46 36389200
Fax: +46 36133190
info@osborn.se

Osborn Unipol Lda

Rua de Paredelhas
4805-062 Brito-Guimarães
Portugal
Tel.: +351 253479550
Fax: +351 253576629
osborn-unipol@osborn-unipol.pt

Osborn International Rm.

505, Tower H Huiyuan Int. Apartment
No. 8 Beichen East Road, Chaoyang District
Beijing, 100101
China
Tel.: +86 1084988191
Fax: +86 1064991863
cnsales@osborn.com

Osborn International GmbH

Premium Polishing Compounds
Rudolf-Harbig-Weg 10
42781 Haan
Germany
Tel.: +49 212993070
Fax: +49 2129930723
sales.unipol@lippert-unipol.de

Osborn International A/S

Nr. Bjertvej 103
6000 Kolding
Denmark
Tel.: +45 76327632
Fax: +45 76327600
info@osborn.dk

Osborn International Ltda.

Rua Lemos Torres, 150 - Jardim Gagliardi
09890-070 São Bernardo do Campo
Brazil
Tel.: +55 1143916559
Fax: +55 1143916550
osborn@osborn.com.br

JacksonLea de Mexico

Emilio Cárdenas No. 211
Centro Industrial Tlalnepanitla
Tlalnepanitla Edo. México, 54030
Mexico
Tel.: +52 5555659555

Osborn Unipol (UK) Limited

Avenue West
Newhouse Farm Industrial Estate
Chepstow NP16 6UD
Great Britain
Tel.: +44 1291643200
Fax: +44 1291643298
sales@osborn-unipol.co.uk

Osborn - Unipol, S.L.

Ronda Norte, 320
(Poligono Industrial) - Apartado 169
46470 Catarroja (Valencia)
Spain
Tel.: +34 961325876
Fax: +34 961324602
ventas@osborn-unipol.es

Osborn International SRL

Bd. Bucovina, Nr. 151
725300 Gura Humorului, jud. Suceava
Romania
Tel.: +40 230234212
Fax: +40 230531785
sales@osborn.ro

Osborn Lippert (India) Pvt. Ltd.

Plot No. E-66, MIDC Waluj
Aurangabad - 431136
India
Tel.: +91 2402556538
Fax: +91 2402552530
sales@osborn-lippert.co.in

Osborn International

1100 Resource Drive, Suite 1
Brooklyn Heights, OH 44131-1854
USA
Tel.: +1 2163611900
Fax: +1 2163611913
brushes@osborn.com

Osborn Singapore Pte Ltd

206 Tuas South Avenue 2
West Point Bizhub
Singapore 637208
Singapore
Tel.: +65 6863 0318
Fax: +65 6863 4318
sales@osborn.com.sg

Your Global Support in surface finishing solutions

Companies all over the world trust in the quality and performance of Osborn. High performance surface finishing tools are produced and developed for a diverse number of industrial applications. Technological Centres are located at our production sites in Germany, UK, USA, Swe-

den, India, Brazil, Portugal, France, Spain, Mexico, Rumania, Denmark and China, with further sales support provided by our sales organisations and distributors worldwide.



Index

Locations	1	Felt with/without Shaft	9
Index	2	Hand Brushes	10-11
Polishing Compound	3	Multi-Purpose Cleaning Brushes	11
Polishing Compound - Recommendations	4	Cotton/Cloth Buffs	12
Materials	5	Cotton Brushes	12
Wheel Brushes	6-7	Liprite/Lipprox Wheels	12
Wheel Brushes with Shaft	8	Goblet Brushes	13
		Other Polishing products	14











DIALUX® Jewellery and Denture Polishing Compounds
DIALUX® - an Osborn brand

DIALUX® - the World's Number 1 compound brand for the Jewellery and Denture polishing industry.

- Small size compound bars (100x30x15mm).
- Individually packed in DIALUX® branded boxes
- Adheres well to mops and buffs.
- Perfect finishing.
- Suitable for gold, silver, chrome, platinum, titanium and plastic.
- Excellent price - performance ratio.

DIALUX® - a complete range of compounds for all Jewellery, Denture and modelling applications.

	SUPER FINISHING Article n°: L709-157085
	HARD METAL SUPER FINISHING (CHROME, PLATINUM) Article n°: L709-157086
	METAL AND PLASTIC FINISHING (DENTAL INDUSTRY) Article n°: L709-157087
	METAL AND PLASTIC SUPER FINISHING (DENTAL INDUSTRY) Article n°: L709-157088
	CUTTING NON FERROUS METAL AND PLASTIC Article n°: L709-157090
	METAL CUTTING Article n°: L709-157091
	SURFACE REFRESHING (STAINLESS STEEL) Article n°: L709-157089
	SUPER FINISHING (SILVER) Article n°: L709-157092

	Steel	Stainless Steel	Gold	Non Ferrous	Hard Steel	Silver	Plastic	Chromium	Titanium	Pre-polishing	Polishing	Mirror Polishing
DIALUX® RED			OK									OK
DIALUX® GREEN					OK							OK
DIALUX® WHITE	OK	OK	OK	OK	OK	OK	OK				OK	OK
DIALUX® BLUE	OK	OK										OK
DIALUX® YELLOW				OK	OK		OK	OK		OK		
DIALUX® ORANGE	OK	OK								OK		
DIALUX® GREY		OK									OK	
DIALUX® BLACK						OK						OK
AA ROUGE	OK	OK	OK	OK	OK	OK		OK	OK			OK
EXPORT LUSTRE	OK	OK	OK			OK	OK			OK	OK	
HYFIN	OK	OK	OK	OK	OK	OK	OK	OK	OK		OK	OK
UNIPOL® 0462	OK	OK	OK	OK	OK	OK	OK	OK	OK		OK	OK

Adhere well, long lasting, easy to use with Osborn Cotton and Sisal Mops, Felts.

Recommendations For Use

Polishing or brightening precious metals. Use with soft cloth mops.

Bright polishing of hard alloys like white gold, platinum, chrome and stainless steel. Also suitable for silver. Use with soft cloth mops.

Perfect for sterling silver and other silver alloys. Good reflection properties. Use with soft white mops or cloths.

Versatile choice to polish a range of metals including silver. Use with soft white mops.

Cutting compound for softer metals: plastics, resins and lacquer. Use with harder stitched cotton cloth mops.

Cutting compound for harder metals: steel, stainless steel and platinum. Use with harder mops made of sisal or close stitched cotton cloth.

Cuts well, removes deeper scratches and refreshes stainless steel. Use with a cloth or close stitched cotton cloth mops.

Final finishing on silver. Use with close stitched cotton mops

Dry ultra-fine rouge for gold and silver finishing.

High quality Tripoli composition.

Economical composition for finishing chrome-plate, stainless steel and non-ferrous metals.

Finishing composition for steel and stainless steel.

Materials

Available materials

CHUNGKING

Strong, elastic and heat resistant. The filaments are first washed and boiled 3 times at more than 100°C over a period of 7 hours in order to eliminate all bacteria.



HORSE HAIR OR GOATS HAIR

The horse hair or goat hair first maintains the quality guarantees since the beginning of production. After the washing process, the hair is brushed to guarantee the final filament size.



Horse Hair or Goat Hair

Low capacity to absorb static. Good for polishing and cleaning residue.

TAMPICO

Tampico Fibre is a natural fibre produced by the Agave plant (Mexico). Tampico fibre can be used dry or with compound which adheres well to the fibres.



Tampico

No accumulation of static, used for metal polishing even in applications where temperatures up to 450°C are reached.

SYNTHETIC FIBRE - NYLON

Polyamide (PA) also referred to as Nylon Fibre is a thermoplastic material.



Nylon

Polyamide may be used for dusting, removing compound, cleaning liquid and grease, also in surface finishing.



Polypropylene

Water and chemical product resistance, used in galvanizing industries and similar

ABRASIVE NON WOVEN

Non-woven abrasive consists of nylon fibres with abrasive grit particles and resin. Grit can be varied from 80 - 320 to achieve different finishing results.



Aluminium Oxide Non - Woven

WIRE

All wire used is calibrated during drawing, no oils or other substances are present.



Crimped Steel

For a deep satin finish or for brushing and cleaning of hard materials.



Crimped Stainless Steel

To achieve a satin finish on non-ferrous metals.



Bessemer Steel

For a fine satin finish and for softer cleaning processes.



Brass

For a satin finish on non-ferrous metals.

COTTON

Cotton cloth has a low flammability level is good for polishing and other fine finishing processes.



Regular Cotton Yarn

Treble twist



Twisted Cotton Yarn

3x3 twist



Cotton Cloth

Available in various grades - harder types for cutting, softer types for colouring.

FIBRE

A non-woven material made with synthetic fibres and no abrasive. Good absorption capacity and low flammability.



Notiflex®

FELT


A non-woven made with synthetic fibres and no abrasives. Available in various strengths. Used in cleaning operations with and without compounds.



Felt


WHEEL BRUSHES WITH PLASTIC BODY - CONICAL BORE

Green Body - Black Extra Stiff Chungking
Red Body - Black Stiff Chungking



Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	Black Chungking Stiff	Nylon
				Article N°	Article N°	Article N°
80	4	R	12	4034-401 961		4014-401 831
80	4	C	12	4004-401 961		
77	4	R	12		4044-401 961	
77	4	C	12		4014-401 961	
60	3	R	12	4944-401 961	4154-401 961	
60	3	C	12	4124-401 961	4134-401 961	
55	3	C	12	4164-401 961	4174-401 961	
55	3	R	12	4184-401 961	4194-401 961	
55	2	C	12	4204-401 961		
45	1	-	12	4224-401 916		

WHEEL BRUSHES WITH WOOD BODY - CONICAL BORE



Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	Black Chungking Stiff	White Goat Hair
				Article N°	Article N°	Article N°
80	5	R	12	4004-301 961		
80	4	R	12		4044-301 961	4004-301 981
80	4	C	12		4014-301 961	
80	1	-	12		4324-301 961	
77	4	R	12			4054-301 961
77	4	C	12			4024-301 961
74	1	-	12		4304-301 961	
68	1	-	12		4284-301 961	
64	5	R	12		4444-301 961	
64	4	R	12		4454-301 961	

WHEEL BRUSHES WITH PLASTIC BODY - CONICAL BORE - WIRE FILAMENT




Diameter	Rows	Type	Qty.	Crimped Brass 0,15 mm	Article N°	Article N°
				Article N°		
100	4	R	12	4004-401 532		
80	4	R	12	4004-401 531		

WHEEL BRUSHES WITH WOOD BODY - CONICAL BORE - WIRE FILAMENT

Diameter	Rows	Type	Qty.	Crimped Brass 0,15 mm	Crimped Brass 0,10 mm	Stainless Steel 0,15 mm
				Article N°	Article N°	Article N°
100	4	R	12	4004-301 532		
80	4	R	12	4004-301 531	4014-301 531	4004-301 321

Brushes

Wheel Brushes



WHEEL BRUSHES WITH PLASTIC BODY - BORE Ø 10 mm

Green Body - Black Extra Stiff Chungking
Red Body - Black Stiff Chungking

Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	Black Chungking Stiff	White Nylon Stiff
				Article N°	Article N°	Article N°
80	4	R	12	4744-401 961	4844-401 961	4114-401 831
80	4	C	12	4604-401 961		4104-401 831
75	4	C	12		4144-401 961	


Diameter	Rows	Type	Qty.	Black Nylon 0,40	White Nylon Extra Stiff	Article N°
				Article N°	Article N°	Article N°
90	4	C	12		4004-401 831	
80	4	C	12	6911-401 831		

WHEEL BRUSHES WITH PLASTIC BODY - BORE Ø 10 mm

Green Body - Black Extra Stiff Chungking
Red Body - Black Stiff Chungking

Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	White Nylon Stiff	White Nylon Extra Stiff
				Article N°	Article N°	Article N°
95	3	P	12		7101-401 841	4104-301 321
80	4	P	12	4424-301 961		

Diameter	Rows	Type	Qty.	White Nylon Hard	Article N°	Article N°
				Article N°	Article N°	Article N°
95	3	P	12	4204-301 321		



WHEEL BRUSHES WITH METAL BODY - PLASTIC ADAPTOR




Diameter	Rows	Type	Qty.	Black Chungking Extra Stiff	White Chungking Stiff	Horse Hair Soft
				Article N°	Article N°	Article N°
70	1	-	12	4004-506 961		
48	1	-	12	4204-503 951	4004-503 951	4404-503 951

Diameter	Rows	Type	Qty.	Goat Hair Extra Soft	Crimped Brass	Stainless Steel
				Article N°	Article N°	Article N°
48	1	-	12	4004-503 981	4004-503 531	4004-503 321

Diameter	Rows	Type	Qty.	White Nylon Stiff	Article N°	Article N°
				Article N°	Article N°	Article N°
48	1	-	12	4004-503 831		

Brushes

Wheel Brushes with Shaft



MINIATURE WHEEL BRUSHES WITH SHAFT

				A - Black Chungking Extra Stiff	B - White Bristle Stiff	C - Goat Hair
D	Shaft (mm)	Qty.	Article N°	Article N°	Article N°	
22	2,34	12	4004-501 961	4014-501961	4014 501 981	
19	2,34	12		4034-501961	4054-501 981	
				D - Horse Hair Soft	E - Cotton	F - Natural Cotton Cloth
D	Shaft (mm)	Qty.	Article N°	Article N°	Article N°	
22	2,34	12		4034-501 981	4124-501 981	
17,5	2,34	12	4004-501 951			
				G - White Cotton Cloth	H - Chamois	I - Felt
D	Shaft (mm)	Qty.	Article N°	Article N°	Article N°	
22	2,34	12	4024-501 981	L160-001 773	4044-501 981	
				J - Felt 3 Ply	K - Tampico	L - Non-Woven Very Fine
D	Shaft (mm)	Qty.	Article N°	Article N°	Article N°	
25	2,34	12			4004-501 981	
22	2,34	12	4004-501 983		L060-108 807	
32	3,18			9403-502 941		
				M - Non Woven Fine	N - Non Woven Compact	O - Crimped Brass
D	Shaft (mm)	Qty.	Article N°	Article N°	Article N°	
22	2,34	12	L060-108 806	L060-108 804	4004-501 511	
				P - Straight Steel	Q - Crimped Stainless Steel	R - Nylon
D	Shaft (mm)	Qty.	Article N°	Article N°	Article N°	
21	2,34	12			L100001738	
22	2,34	12	4004-501 311	4014-501 311		

Other sizes on request



MINIATURE END BRUSH WITH SHAFT

				Black Chungking Extra Stiff	White Chungking Stiff	C - Goat Hair Extra Soft
D	L	Shaft (mm)	Qty.	Article N°	Article N°	Article N°
5	10	2,34	12	4004-509 961	4044-509 961	4004-509 981
				Crimped Brass	Crimped Stainless Steel	White Nylon
D	L	Shaft (mm)	Qty.	Article N°	Article N°	Article N°
5	10	2,34	12	4004-509 521	4004-509 321	L100-001 747

Other sizes on request

MINIATURE CUP BRUSH WITH SHAFT



				Black Chungking Extra Stiff	White Chungking Stiff	C - Goat Hair Extra Soft
D	Shaft (mm)	Qty.	Article N°	Article N°	Article N°	
12	2,34	12	L090-001 726	L090-001 727	L090-001 775	
				Crimped Brass	Crimped Stainless Steel	White Nylon
D	Shaft (mm)	Qty.	Article N°	Article N°	Article N°	
12	2,34	12	L120-001 728	L120-001 729	L090-001 750	

Other sizes on request

Felt


Wheel Felt With Shaft




FELT WITH SHAFT Ø 2,34 mm

D	d	Width (A)	Type	Qty	Felt		
					Article N°	Article N°	Article N
23		5	a	12	0001-023 009		
22		5	a	12	L050-001 666		
22		5	b	12	L050-001 672		
17		5	b	12	L050-001 674		
17		13	c	12	0001-017 013		
12		8	c	12	L050-001 646		
10		15	d	12	0001-010 015		
10		15	e	12	L050-001 640		
9	7	17	i	12	L050-001 647		
9		15	j	12	0001-009 015		
9		13	f	12	L050-001 639		
9		13	g	12	L050-001 642		
9			h	12	0001-000 009		
8		11	e	12	L050-001 641		
8		11	f	12	L050-001 643		
8		11	g	12	L050-001 644		
7		15	j	12	L050-001 645		


Other sizes on request




(a) Wheel




(b) Lense




(c) Inverted Conical




(d) Cylinder




(e) Convex




(f) Drop




(g) Headed



(h) Sphere



(i) Conical



(j) Cone

Felt


Wheel Felt With Bore




FELT WITH BORE

D	Width (A)	Type	Qty	Felt		
				Medium	High Tenacity	Hard
				Article N°	Article N°	Article N°
100	20	b	12	0001-100 020	L050-127 343	0011-100 020
80	20	b	12	0001-080 020	L050-007 948	0011-080 020
80	10	b	12			0011-080 010
70	10	b	12			0011-070 010
60	20	b	12	0001-060 020		0011-060 020
60	10	a	12	0001-060 010	L050-001 635	
60	10	b	12	0021-060 010	L050-001 629	0011-060 010
50	20	b	12			0011-050 020
50	10	a	12	0001-050 010	L050-001 634	
50	10	b	12	0021-050 010	L050-001 628	0011-050 010
40	10	a	12	0001-040 010	L050-001 633	
40	10	b	12	0021-040 010		0011-040 010
30	60	c	12	0001-030 060	L050-129 051	0011-030 060
30	10	a	12	0001-030 010		
25	55	c	12		L050-001 626	
25	50	c	12	0001-025 050	L050-001 625	0011-025 050
25	45	c	12	0001-025 045		0011-025 045
25	5	b	12	0001-025 005		0011-025 005
22	5	a	12		L050-001 676	
22	5	b	12		L050-001 670	
20	50	c	12	0001-020 050	L050-001 624	0011-020 050
20	40	c	12	0001-020 040	L050-001 623	0011-020 040
20	35	c	12	0001-020 035	L050-001 622	0011-020 035
18	45	c	12	0001-018 045		0011-018 045
17	5	a	12		L050-001 677	
17	5	b	12		L050-001 671	
16	40	c	12	0001-016 040		0011-016 040
15	25	c	12	0001-015 025	L050-001 621	0011-015 025
14	35	c	12	0001-014 035	L050-115 269	0011-014 035
12	35	c	12	0011-012 035	L050-115 268	0001-012 035
10	35	c	12		L050-115 267	
10	20	c	12		L050-001 620	
10	14	c	12		L050-113 770	


Other sizes on request




(a) Lense



(b) Discs



(c) Conical



HAND BRUSHES - PLASTIC BODY

					Steel	Stainless Steel	Brass
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
180	18	42	4	12		not available	
180	18	42	3	12	4004-465 133		4004-465 533
					Chungking	Horse Hair	Nylon
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
180	18	42	4	12	4004-465 964	4004-465 954	4004-465 824
180	18	42	3	12	4004-465 963	4004-465 953	



HAND BRUSHES - DELICATE WORK - PLASTIC BODY

					Steel	Stainless Steel	Brass
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
133	18	40	3	12	1201-465 233	1201-465 333	1201-465 533
					Straight Nylon Fine	Straight Nylon Strong	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
133	18	40	3	12	1201-465 823	1201-465 833	



HAND BRUSHES - PLASTIC BODY - "WATCHMAKER" TYPE

					Black Chungking Extra Stiff	Straight Nylon Fine	Straight Nylon Strong
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
220	18	100	5	12	4014-465 965	4004-465 815	4004-465 835
220	18	100	4	12	4004-465 984	4004-465 814	4004-465 834
					Crimped Brass 0,15mm	Stainless Steel	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
220	18	100	5	12	4004-465 535		
220	18	100	4	12	4004-465 534	4034-465 324	



HAND BRUSHES - WOOD BODY

					Horse Hair Soft	Tampico	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
255	25	118	6	12		8901-152 946	
255	25	118	5	12	4004-152 955	4004-152 945	
255	25	118	4	12	4004-152 954	8901-152 944	
255	25	118	3	12		8901-152 943	




HAND BRUSHES - WOOD BODY - DELICATE WORK

					Black Chungking Extra Stiff	Straight Nylon Fine	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
180	18	55	4	12	4004-165 964	4101-134 873	
180	18	55	3	12	4004-165 963		
165	18	55	1	12	4004-165 961		

Brushes

Hand Brushes



HAND BRUSHES - WOOD BODY - "WATCHMAKER" TYPE

					a - Black Chungking Extra Stiff	a - White Chungking Extra Stiff	a - Goat Hair Extra Soft
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
224	18	100	6	12	4004-165 966	4014-165 966	
224	18	100	5	12	4014-165 965	4004-165 965	4014-165 985
220	18	100	4	12	0003-165 964	4014-165 964	4014-165 984
220	18	100	3	12	4024-165 963		
					b - Crimped Brass 0,10 mm	b - Crimped Brass 0,15 mm	c - Crimped St. Steel 0,10 mm
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
325	18	100	8	12	5401-165 518	4004-165 538	
224	18	100	6	12	4004-165 526	4004-165 536	
224	18	100	5	12	4004-165 525	4004-165 535	
220	18	100	4	12	4004-165 524	0003-165 584	4004-165 324
220	18	100	3	12	4004-165 523	4004-165 533	
					d - Straight Nylon Soft	d - Straight Nylon Hard	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
224	18	100	6	12	4014-165 836	4004-165 836	
224	18	100	5	12	4004-165 815	4004-165 835	
220	18	100	4	12	4004-165 814	4004-165 834	
220	18	100	3	12	4004-165 813	4004-165 833	

Brushes

Other hand brushes



GENERAL HAND BRUSHES

					Crimped Brass	Straight Nylon Hard	
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
170	12	20	3	12	5001-316 943		
162	14	42	3	12		8401-165 844	
105	18	43	6	12	5401-316 534		



NAIL CLEANING BRUSHES

					Tampico	Tampico	Tampico Double Sided
L	T	A	Rows	Qty.	Article N°	Article N°	Article N°
115	20	110	6	12	5001-202 940		
106	20/12	98	6/4	12			5401-202 940
106	20/12	98	6/4	12			5011-202 960
106	12	98	6	12		5001-202 960	



HAND BRUSHES FOR FILING SCALE

					Steel with Wood Body	Steel with Plastic Body	
L	T	A		Qty.	Article N°	Article N°	Article N°
235	50	115		12		3008-140 102	
235	40	115		12	0003-140 102		
235	25	100		12	0003-140 101		
195	55	75		12		3008-140 103	




CUTTING TOOL HAND BRUSHES

					Crimped Brass		
L	T			Qty.	Article N°	Article N°	Article N°
50	28			12	L120-001 606		

Mops and Buffs

Cotton and Cotton Cloth Buffs



COTTON MOPS AND FIBRE WITH PLASTIC BODY, WOOD AND METAL

D	Rows	Type	Qty.	F - White Extra Cloth Fine	G - Cloth + Fibre Plastic Body	H - Cloth + Fibre Wood Body
				Article N°	Article N°	Article N°
100			12	4014-401 900		
80	3	C	12		4004-401 981	4014-301 981


C - CONVERGENT

COTTON CLOTH BUFFS



D	E	Type	Qty.	Cotton Cloth Metal Core	Notiflex® 914	Notiflex® 925
				Article N°	Article N°	Article N°
100	30	2 Sections	12	L010-001 599		
100	15	1 Section	12	L010-001 598		
90	30	2 Sections	12	L010-001 595		


COTTON CLOTHS STITCHED MOPS



D	Stitch	Sheets	Qty.	A - Natural Cotton Cloth	B - White Cotton Cloth
				Article N°	Article N°
110	2	45	12	4064-301 900	4104-301 900
110	2	32	12	4054-301 900	4094-301 900
100	3	42	12	4044-301 900	4084-301 900
100	3	32	12	4034-301 900	4074-301 900

Brushes

Cotton Brushes



WHEEL BRUSHES WITH TWISTED COTTON YARN

D	Width	Type	Qty.	Cotton Yarn		
				Article N°	Article N°	Article N°
100	20	A	12	4024-301 900		
90	20	D	12	4004-401 900		
80	20	B	12	4014-301 900		
80	38	B	12	L180-001 554		
60	30	C	12	4004-301 900		
60	20	C	12	L180-001 556		
50	20	C	12	L180-001 551		

Wheels

Lipprite / Lipprox Wheels



NON-WOVEN WHEELS / LIPPRITE / LIPPROX

D	Face	Dens.	Qty.	A - Lipprite A2T (Coarse)	A - Lipprite A4T (Medium)	A - Lipprite AGT (Fine)
				Article N°	Article N°	Article N°
110	30	103	1	L8312073FR	L0312083FR	L0312093FR
110	25	103	1	L8312073ER	L0312083ER	L0312093ER
110	15	103	1	L8312073BR	L0312083BR	L0312093BR



Lipprite®



Lipprox®

D	Face	Dens.	Qty.	A - Lipprite A7T (Very Fine)	B - Lipprite A4MCP (Medium)	C - Lipprox AGT (Fine)
				Article N°	Article N°	Article N°
110	30	103	1	L8012103FR	L8015054FR	L0452431FR
110	25	103	1	L8012103ER	L8015054ER	L0452431ER
110	15	103	1	L8012103BR	L8015054BR	L0452431BR



Lipprite® A4MCP



Lipprite® + Coated Abrasive

D	Face	Dens.	Qty.	D - Lipprite A7T+ C.Abrasive Gr240	D - Lipprite A7T+ C.Abrasive Gr320	D - Lipprite A7T+ C.Abrasive Gr400
				Article N°	Article N°	Article N°
110	30	103	1	L0902124FR	L1002132FR	L1002140FR
110	25	103	1	L0902124ER	L1002132ER	L1002140ER
110	15	103	1	L0902124BR	L1002132BR	L1002140BR

Dome Goblet Shape



GOBLET BRUSHES / HEAD BRUSHES

D	L	Body	Qty.	Horse Hair	Tampico	Crimped Brass 0,08
				Article N°	Article N°	Article N°
150	160	Wood	1	2703-605 956	2703-605 946	2703-605 516
120	135	Wood	1	2703-605 955	2703-605 945	2703-605 515
100	120	Wood	1	2703-605 954	8213-605 944	2703-605 514
80	100	Wood	1	8903-605 953	8703-605 943	9103-605 513
70	100	Plastic	1	2703-605 953	2703-605 943	8703-605 553
60	90	Plastic	1	9103-605 952	9303-605 942	9103-605 512
50	90	Plastic	1	8703-605 952	2703-605 942	9113-605 512
40	70	Plastic	1	2713-605 951	8703-605 941	2703-605 511
30	50	Plastic	1	2703-605 951	2713-605 941	9803-605 511
25	47	Plastic	1	8703-605 951	2703-605 941	9103-605 511

Other sizes on request

Other polishing products

More information under www.osborn.com



To find out more about our range of products for the polishing industry, please check our website or contact our technical support services available at all facilities worldwide.

Satinising Kit



Blister



Polishing Kit



We are happy to discuss your branding on our blister packed products, please contact our sales departments for more information.



Osborn Sells Solutions

The Global Leader in Surface Treatment Solutions and Finishing Tools

- Abrasives
- ATB™ Power Brushes
- Chemical Products
- Load Runners
- Machines & Equipment
- Maintenance Brushes
- Polishing Buffs
- Polishing Compounds
- Punched/Staple-Set Brushes
- Road-Sweeping Brushes
- Strip Brushes
- Wide-Face Rollers
- Wire Power Brushes

Osborn International GmbH

Ringstrasse 10
35099 Burgwald
Germany
Tel.: +49 64515880
Fax: +49 6451588206
info@osborn.de
www.osborn.com



Finish. First.™